

如何投票

(<https://docs.decred.org/getting-started/user-guides/how-to-vote/>)

本指南假设你已经有一个激活的钱包并且已经购买了票。如果没有的话，请遵循“投票准备”(<https://docs.decred.org/getting-started/user-guides/agenda-voting/#voting-preparation>)指南。

一张票投票的选择取决于票被选择时而不是票被购买时，你的投票倾向。所以你可以在投票窗之内的任何时间设置你的选择，并且之后的所有的票都会按照它来投票。

股份池投票

如果你的股份池已经更新到最新版本的股份池软件，你将会发现在导航菜单中每个 **agenda** 的下拉选项都有一个“投票”页。在你决定你想如何投你的票之后，只有按下“更新投票选项”就可以保存你的投票选择。你会在下面发现一个投票版本 5 的投票选择的图片。

Voting Preferences (v5)

Agendas

Infeatures - Enable features defined in DCP0002 and DCP0003 necessary to support Lightning Network (LN)

abstain voting for change
abstain voting for change
keep the existing consensus rules
change to the new consensus rules

你也可以通过 **Decredition** 来更新你的投票选项。在 **Tickets** 选项下面，你会发现设置你的投票的选项。你必须使用一个股份池来使用这个选项。

The screenshot shows the Decredition web interface. On the left is a blue sidebar with navigation links: Overview, Accounts, Send, Receive, History, Tickets (highlighted), Settings, and Help. The main content area has a header with the Decred logo and 'Testnet'. Below this, it shows the 'Ticket price: 48.95135983 DCR' and buttons for 'Purchase Tickets' and 'Vote Settings'. The 'Voting Preferences' section is active, displaying a dropdown menu for the URL 'https://teststakepool.decred.org'. A modal window titled 'Infeatures' is open, showing details about enabling features for the Lightning Network. It includes an 'Agenda ID: Infeatures' and a description of the voting process. To the right of the modal, there are radio buttons for 'abstain' (selected), 'no', and 'yes', and an 'Update Preference' button. At the bottom of the sidebar, it shows 'Total balance: 87.999747' and 'Latest block: 143217, 1 minute ago'.

单投票 (Solo Voting)

我只需要命令！

YES

```
dcrctl --wallet setvotechoice lnfeatures yes
```

NO

```
dcrctl --wallet setvotechoice lnfeatures no
```

通过命令行，你会想要熟悉 `dcrctl --wallet getvotechoices` 和 `dcrctl --wallet setvotechoice "agendaaid" "choiceid"` 命令。

第一个命令，`dcrctl --wallet getvotechoices`，返回如下 JSON：

```
{
  "version": 5,
  "choices": [
    {
      "agendaaid": "lnfeatures",
      "agendadescription": "Enable features defined in DCP0002 and
DCP0003 necessary to support Lightning Network (LN)",
      "choiceid": "abstain",
      "choicedescription": "change to the new consensus rules"
    }
  ]
}
```

第二个命令，`dcrctl --wallet setvotechoice "agendaaid" "choiceid"`，让你设置你的投票选项。通过上述的 `getvotechoices` 命令可以发现 `"agendaaid"`，并且 `"choiceid"` 可以是 `yes`，`no` 或者 `abstain`。

举个例子，把下述改变的结果 `dcrctl --wallet setvotechoice lnfeatures yes` 分发给 `dcrctl --wallet getvotechoices`：

```
{
  "version": 5,
  "choices": [
    {
      "agendaaid": "lnfeatures",
      "agendadescription": "Enable features defined in DCP0002 and
DCP0003 necessary to support Lightning Network (LN)",
      "choiceid": "yes",
      "choicedescription": "change to the new consensus rules"
    }
  ]
}
```